Index of Authors

ABBOTT, J. D. *see* HUTCHINSON, D. N.
AKKERMANS, J. P. W. M. *see* RICHARDUS, J. H.
ALCOCK, S. R. *see* SPEEKENBRINK, A. B. J.
ANDERSON, R. M. *see* BUNDY, D. A. P.
APPELTON, HAZEL *see* MILLARD, JUDITH
ARIMITSU, Y., KOBAYASHI, S., MATUHASI, T., SUZUKI, H., YAMAJI, Y., SUPRASERT, S. and SUPAWADEE, J. Epidemiological studies on leptospirosis in Chiang Mai (Thailand), 97
AMYES, S. G. B. Trimethoprim resistance in commensal bacteria isolated from farm animals, 87

BALL, H. J., LOGAN, E. F. and CAMPBELL, J. N. *Mycoplasma californicum* mastitis in ewes as an experimental model for antibiotic treatment, 369
BARNHAM, MICHAEL, COLE, GRAHAM, EFSTRATIOU, ANDROULLA, TAGG, JOHN R. and SKJOLD, STEPHEN A. Characterization of *Streptococcus zooepidemicus* (Lancefield group C) from human and selected animal infections, 171
BARNHAM, MICHAEL, LJUNGGREN, AKE and MCINTYRE, MICHAEL. Human infection with *Streptococcus zooepidemicus* (Lancefield group C): three case reports, 183
BARRELL, R. A. E. Isolations of salmonellas from humans and foods in the Manchester area: 1981–1985, 277
BARROW, P. A., TUCKER, J. F. and SIMPSON, J. M. Inhibition of colonization of the chicken alimentary tract with *Salmonella typhimurium* by gram-negative facultatively anaerobic bacteria, 311
BARTHOLOMEW, B. A. *see* TODD, L. S.
BARTZOKAS, C. A., CORKILL, J. E., MAKIN, T. and PARRY, E. Comparative evaluation of the immediate and sustained anti-bacterial action of two regimens, based on triclosan- and chlorhexidine-containing handwash preparations, on volunteers, 337
BASKERVILLE, A. *see* PALMER, M. F.
BEAR, N. *see* SCHRIRE, L.
BECKETT, P. *see* HUMPHREY, T. J.
BETTELHEIM, K. A. *see* ØRSKOV, FRITS
BOLTON, F. J. *see* HUTCHINSON, D. N.
BOUSTOULLER, Y. L. *see* JOHNSON, A. P.
BREWER, JACKY I. *see* PRICHARD, D. G.
BUNDY, D. A. P., COOPER, E. S., THOMPSON, D. E., DIDIER, J. M., ANDERSON, R. M. and SIMMONS, I. Predisposition to *Trichuris trichiura* infection in humans, 65
BURGE, S. H. *see* RIBEIRO, C. D.
BURGER, P. J. *see* DONALD, P. R.

CAMPBELL, J. N. *see* BALL, H. J.
CARMONA, M. J. *see* RUIZ, B. G-V.
CHOW, K. L. *see* FRENCH, G. L.
CLEGG, F. G. *see* SMART, J. L.
COLE, GRAHAM, *see* Barnham, Michael
COLLOFF, M. J. Mite fauna of dust from passenger trains in Glasgow, 127
COOPER, E. S. *see* BUNDY, D. A. P.
CORKILL, J. E. *see* BARTZOKAS, C. A.
CRAVEN, J. A. *see* MORGAN, I. R.
CRISP, S. *see* SCHRIRE, L.
CRUICKSHANK, J. G. and HUMPHREY, T. J. The carrier food-handler and non-typhoid salmonellosis, 233

DIDIER, J. M. *see* BUNDY, D. A. P.
DIETZ, K. *see* GERTH, H.-J.

DONALD, P. R., PRETORIUS, MARIE-LOUISE and BURGER, P. J. Shigellosis in the south-western Cape of Good Hope 1968–85, 165
DONKERS, A. *see* RICHARDUS, J. H.
DUMAS, A. M. *see* RICHARDUS, J. H.

EFSTRATIOU, ANDROULLA *see* BARNHAM, MICHAEL
ESPINAR, A. C. *see* RUIZ, B. G-V.

FITZGEORGE, R. B. *see* PALMER, M. F.
FORRESTER, J. *see* SPEEKENBRINK, A. B. J.
FRENCH, G. L., LING, J., CHOW, K. L. and MARK, K. K. Occurrence of multiple antibiotic resistance and R-plasmids in gram-negative bacteria isolated from faeceally contaminated fresh-water streams in Hong Kong, 285
FURR, P. M. and TAYLOR-ROBINSON, D. Prevalence and significance of *Mycoplasma hominis* and *Ureaplasma urealyticum* in the urines of a non-venereal disease population, 353

GILBERT, R. J. *see* TODD, L. S.
GERTH, H.-J., GLÜNER, CH., MÜLLER, R. and DIETZ, K. Common respiratory and gastro-intestinal illness in paediatric student nurses and medical technology students, 33
GERTH, H.-J., GRÜNER, CH., MÜLLER, R. and DIETZ, K. Seroepidemiological studies on the occurrence of common respiratory infections in paediatric student nurses and medical technology students, 47
GOULLET, PH. *see* PICARD, B.
GRÜNER, CH. *see* GERTH, H.-J.

HUDSON, W. R., ROBERTS, T. A. and WHELEHAN, O. P. Bacteriological status of beef carcasses at a commercial abattoir before and after slaughterline improvements, 81
HUISMAN, J. *see* RICHARDUS, J. H.
HUMPHREY, T. J. *see* CRUICKSHANK, J. G.
HUMPHREY, T. J. and BECKETT, P. *Campylobacter jejuni* in dairy cows and raw milk, 263
HUTCHINSON, D. N., BOLTON, F. J., JONES, D. M., SUTCLIFFE, E. M. and ABBOTT, J. D. Application of three typing schemes (Penner, Lior, Preston) to strains of *Campylobacter* spp. isolated from three outbreaks, 139

INAL, J. R. M. *see* LEE, D. H.

JOHNSON, A. P. and BOUSTOULLER, Y. L. Extra-vaginal infection caused by *Gardnerella vaginalis*, 131
JONES, D. M. *see* HUTCHINSON, D. N.
JONES, T. O. *see* SMART, J. L.

KISHI, T. *see* NISHIKAWA, Y.
KOBAYASHI, S. *see* ARIMITSU, Y.
KOORNHOF, H. J. *see* SCHRIRE, L.
KOUSA, MERJA *see* PUOLAKKAINEN, MIRJA
KRAFT, C. A., TIMBURY, M. C. and PLATT, D. J. Restriction enzyme fingerprinting of trimethoprim resistance plasmids, 241
KRAUTIL, F. L. *see* MORGAN, I. R.

LAU, R. C. H. Detection of tetanus toxoid antibodies in human sera in New Zealand by ELISA, 199
LEE, D. H., MILES, R. J. and INAL, J. R. M. Antibiotic sensitivity and mutation rates to antibiotic resistance in *Mycoplasma mycoides* ssp. *mycoides*, 361
LE MINOR, L. *see* SCHRIRE, L.
LING, J. *see* FRENCH, G. L.
LJUNGGREN, AKE *see* BARNHAM, MICHAEL
LOGAN, E. F. *see* BALL, H. J.

McIntyre, Michael *see* Barnham, Michael
McMurtry, M. J. *see* Smart, J. L.
McStay, G. *see* Schrire, L.
Mahmood, K. H., Rook, G. A. W., Stanford, J. L., Stuart, Fiona, A. and Pritchard, D. G. The immunological consequences of challenge with bovine tubercle bacilli in badgers (*Meles meles*), 155
Mahmood, K. H. *see* Pritchard, D. G.
Makin, T. *see* Bartzokas, C. A.
Mark, K. K. *see* French, G. L.
Matuhasi, T. *see* Arimitsu, Y.
Miles, R. J. *see* Lee, D. H.
Millard, Judith, Appleton, Hazel and Parry, J. V. Studies on heat inactivation of hepatitis A virus with special reference to shellfish, 397
Morgan, I. R., Krautil, F. L. and Craven, J. A. Bacterial populations on dressed pig carcasses, 15
Morgan, I. R., Krautil, F. L. and Craven, J. A. Effect of time in lairage on caecal and carcass salmonella contamination of slaughter pigs, 323
Müller, R. *see* Gerth, H.-J.

Nishikawa, Y. and Kishi, T. A modification of bile salts brilliant green agar for isolation of motive *Aeromonas* from foods and environmental specimens, 331

Ørskov, Frits, Ørskov, Ida and Bettelheim, K. A. *Escherichia coli* flagellar serotyping is as reliable as it has always been, 221
Ørskov, Ida *see* Ørskov, Frits
Örtqvist, A., Ransjö, U. and Wretlind, B. Plasmid analysis as an epidemiological tool in neurosurgical infections with coagulase-negative staphylococci, 231

Palmer, M. F., Waitkins, Sheena, A., Fitzgeorge, R. B. and Baskerville, A. Experimental infection of monkeys with *Leptospira interrogans* serovar *hardjo*, 191
Palmer, S. R. *see* Ribeiro, C. D.
Parrott, D. M. V. *see* Speekenbrink, A. B. J.
Parry, E. *see* Bartzokas, C. A.
Parry, J. V. *see* Millard, Judith
Picard, B. and Goullet, Ph. Epidemiological complexity of hospital aeromonas infections revealed by electrophoretic typing of esterases, 5
Platt, D. J. *see* Kraft, C. A.
Platt, D. J. *see* Smart, L. E.
Pretorius, Marie-Louise *see* Donald, P. R.
Pritchard, D. G., Stuart, Fiona A., Brewer, Jacky I. and Mahmood, K. H. Experimental infection of badgers (*Meles meles*) with *Mycobacterium bovis*, 145
Pritchard, D. G. *see* Mahmood K. H.
Puolakkainen, Mirja, Kousa, Merja and Saikku, Pekka. Clinical conditions associated with positive complement fixation serology for *Chlamydiae*, 101

Ransjo, U. *see* Örtqvist, A.
Reid, T. M. S. and Robinson, H. G. Frozen raspberries and hepatitis A, 109
Ribeiro, C. D., Burge, S. H., Palmer, S. R., Tobin, J. O'H. and Watkins, I. D. *Legionella pneumophila* in a hospital water system following a nosocomial outbreak: prevalence, monoclonal antibody subgrouping and effect of control measures, 253
Richardus, J. H., Donkers, A., Dumas, A. M., Schaap, G. J. P., Akkermans, J. P. W. M., Huisman, J. and Valkenburg, H. A. Q fever in the Netherlands: a sero-epidemiological survey among human population groups from 1968 to 1983, 211
Roberts, D. *see* Todd, L. S.
Roberts, T. A. *see* Hudson, W. R.
Robinson, H. G. *see* Reid, T. M. S.
Rook, G. A. W. *see* Mahmood, K. H.
Ross, J. and Sanders, M. F. Changes in the virulence of myxoma virus strains in Britain, 113

ROWE, B., THRELFALL, E. J. and WARD, L. R. Does chloramphenicol remain the drug of choice for typhoid?, 379
RUIZ, B. G-V., ESPINAR, A. C. and BOLAÑOS CARMONA, M. J. A comparative study of strains of salmonella isolated from irrigation waters, vegetables and human infections, 271

SAIKKU, PEKKA *see* PUOLAKKAINEN, MIRJA
SANDERS, M. F. *see* ROSS, J.
SCHAAP, G. J. P. *see* RICHARDUS, J. H.
SCHRIRE, L., CRISP, S., BEAR, N., MCSTAY, G., KOORNHOF, H. J. and LE MINOR, L. The prevalence of human isolates of *Salmonella* subspecies II in southern Africa, 25
SELLERS, R. F. Possible windborne spread of myxomatosis to England in 1953, 119
SIMMONS, I. *see* BUNDY, D. A. P.
SIMPSON, J. M. *see* BARROW, P. A.
SKJOLD, STEPHEN, A. *see* BARNHAM, MICHAEL
SMART, J. L., JONES, T. O., CLEGG, F. G. and MCMURTRY, M. J. Poultry waste associated type C botulism in cattle, 73
SMART, L. E., PLATT, D. J. and TIMBURY, M. C. A comparison of the distribution of pneumococcal types in systemic disease and the upper respiratory tract in adults and children, 203
SMITH, G. R. and TURNER, A. Factors affecting the toxicity of rotting carcasses containing *Clostridium botulinum* type C, 345
SPEEKENBRINK, A. B. J., ALCOCK, S. R., FORRESTER, J. and PARROTT, D. M. V. The effect of selective decontamination of the digestive tract with the addition of systemic cefotaxime on the aerobic faecal flora of mice, 385
STANFORD, J. L. *see* MAHMOOD, K. H.
STUART, FIONA, A. *see* MAHMOOD, K. H.
STUART, FIONA, A. *see* PRITCHARD, D. G.
SUPAWADEE, J. *see* ARIMITSU, Y.
SUPRASERT, S. *see* ARIMITSU, Y.
SUTCLIFFE, E. M. *see* HUTCHINSON, D. N.
SUZUKI, H. *see* ARIMITSU, Y.

TAGG, JOHN, R. *see* BARNHAM, MICHAEL
TAYLOR-ROBINSON, D. *see* FURR, P. M.
THOMPSON, D. E. *see* BUNDY, D. A. P.
THRELFALL, E. J. *see* ROWE, B.
TIMBURY, M. C. *see* KRAFT, C. A.
TIMBURY, M. C. *see* SMART, L. E.
TOBIN, J. O'H. *see* RIBEIRO, C. D.
TODD, L. S., ROBERTS, D., BARTHOLOMEW, B. A. and GILBERT, R. J. Assessment of an enzyme immunosassay for the detection of salmonellas in foods and animal feeding stuffs, 301
TUCKER, J. F. *see* BARROW, P. A.
TURNER, A. *see* SMITH, G. R.

VALKENBURG, H. A. *see* RICHARDUS, J. H.

WAITKINS, SHEENA, A. *see* PALMER, M. F.
WARD, L. R. *see* ROWE, B.
WATKINS, I. D. *see* RIBEIRO, C. D.
WHELEHAN, O. P. *see* HUDSON, W. R.
WRETLIND, B. *see* ÖRTQVIST, A.

YAMAJI, Y. *see* ARIMITSU, Y.

Index of Subjects

Aeromonas, a modification of bile salts brilliant green agar for isolation of motile, from foods and environmental specimens, 331
Aeromonas, epidemiological complexity of hospital, infections revealed by electrophoretic typing of esterases, 5
Antibiotic resistance, occurrence of multiple, and R-plasmids in gram-negative bacteria isolated from faecally contaminated fresh-water streams in Hong Kong, 285

Badgers, experimental infection of, (*Meles meles*) with *Mycobacterium bovis*, 145
Badgers, the immunological consequences of challenge with bovine tubercle bacilli in, (*Meles meles*), 155
Beef carcasses, bacteriological status of, at a commercial abattoir before and after slaughterline improvements, 81
Botulism, poultry waste associated type C, in cattle, 73
Bovine tubercle bacilli, the immunological consequences of challenge with, in badgers (*Meles meles*), 155

Campylobacter, application of three typing schemes (Penner, Lior, Preston) to strains of, spp. isolated from three outbreaks, 139
Campylobacter jejuni in dairy cows and raw milk, 263
Cattle, poultry waste associated type C botulism in, 73
Cefotaxime, the effect of selective decontamination of the digestive tract with the addition of systemic, on the aerobic faecal flora of mice, 385
Chicken, inhibition of colonization of the, alimentary tract with *Salmonella typhimurium* by gram-negative facultatively anaerobic bacteria, 311
Chlamydiae, clinical conditions associated with positive complement fixation serology for, 101
Chloramphenicol, does, remain the drug of choice for typhoid, 379
Chlorhexidine-, comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on triclosan- and, containing handwash preparations, on volunteers, 337
Clostridium botulinum, factors affecting the toxicity of rotting carcasses containing, type C, 345
Cows, *Campylobacter jejuni* in dairy, and raw milk, 263

Escherichia coli flagellar serotyping is as reliable as it has always been, 221
Esterases, epidemiological complexity of hospital aeromonas infections revealed by electrophoretic typing of, 5
Ewes, *Mycoplasma californicum* mastitis in, as an experimental model for antibiotic treatment, 369

Food-handler, the carrier, and non-typhoid salmonellosis, 223

Gardnerella vaginalis, extra-vaginal infection caused by, 131
Gastrointestinal, common respiratory and, illness in paediatric student nurses and medical technology students, 33

Handwash, comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on triclosan- and chlorhexidine-containing, preparations on volunteers, 337
Hepatitis A, frozen raspberries and, 109
Hepatitis A, studies on heat inactivation of, virus with special reference to shellfish, 397

Legionella pneumophila in a hospital water system following a nosocomial outbreak: prevalence, monoclonal antibody subgrouping and effect of control measures, 253
Leptospira interrogans serovar *hardjo*, experimental infection of monkeys with, 191

Leptospirosis, epidemiological studies on, in Chiang Mai (Thailand), 97

Mice, the effect of selective decontamination of the digestive tract with the addition of systemic cefotaxime on the aerobic faecal flora of, 385
Milk, *Campylobacter jejuni* in dairy cows and raw, 263
Mite fauna of dust from passenger trains in Glasgow, 127
Mycobacterium bovis, experimental infection of badgers (*Meles meles*) with, 145
Mycoplasma californicum mastitis in ewes as an experimental model for antibiotic treatment, 369
Mycoplasma hominis, prevalence and significance of, and *Ureaplasma urealyticum* in the urines of a non-venereal disease population, 353
Mycoplasma mycoides ssp. *mycoides*, antibiotic sensitivity and mutation rates to antibiotic resistance in, 361
Myxoma, changes in the virulence of, virus strains in Britain, 113
Myxomatosis, possible windborne spread of, to England in 1953, 119

Neurosurgical, plasmid analysis as an epidemiological tool in, infections with coagulase-negative staphylococci, 231

Pig carcasses, bacterial populations on dressed, 15
Pigs, effect of time in lairage on caecal and carcass salmonella contamination of slaughter, 323
Plasmids, occurrence of multiple antibiotic resistance and R-, in gram-negative bacteria isolated from faecally contaminated fresh-water streams in Hong Kong, 285
Plasmids, restriction enzyme fingerprinting of trimethoprim resistance, 241

Q fever in the Netherlands: a sero-epidemiological survey among human population groups from 1968 to 1983, 211

Resistance, trimethoprim, in commensal bacteria isolated from farm animals, 87
Respiratory, a comparison of the distribution of pneumococcal types in systemic disease and the upper, tract in adults and children 203
Respiratory, common, and gastrointestinal illness in paediatric student nurses and medical technology students, 33
Respiratory, seroepidemiological studies on the occurrence of common, infections in paediatric student nurses and medical technology students, 47

Salmonella, a comparative study of strains of, isolated from irrigation waters, vegetables and human infections, 271
Salmonella, effect of time in lairage on caecal and carcass, contamination of slaughter pigs, 323
Salmonella subspecies II, the prevalence of human isolates of, in southern Africa, 25
Salmonella typhimurium, inhibition of colonization of the chicken alimentary tract with, by gram-negative facultatively anaerobic bacteria, 311
Salmonellas, assessment of an enzyme immunoassay for the detection of, in foods and animal feeding stuffs, 301
Salmonellas, isolation of, from humans and foods in the Manchester area: 1981–1985, 277
Salmonellosis, the carrier food-handler and non-typhoid, 223
Shellfish, studies on heat inactivation of hepatitis A with special reference to, 397
Shigellosis in the south-western Cape of Good Hope 1968–85, 165
Staphylococci, plasmid analysis as an epidemiological tool in neurosurgical infections with coagulase-negative, 231
Streptococcus zooepidemicus, characterization of, (Lancefield group C) from human and selected animal infections, 171
Streptococcus zooepidemicus, human infection with, (Lancefield group C): three case reports, 183

Tetanus toxoid, detection of, antibodies in human sera in New Zealand by ELISA, 199
Trichuris trichiura, predisposition to, infection in humans, 65

Triclosan-, comparative evaluation of the immediate and sustained antibacterial action of two regimens, based on, and chlorhexidine-containing handwash preparations, on volunteers, 337
Trimethoprim resistance in commensal bacteria isolated from farm animals, 87
Trimethoprim, restriction enzyme fingerprinting of, resistance plasmids, 241
Typhoid, does chloramphenicol remain the drug of choice for, 379

Ureaplasma urealyticum, prevalence and significance of *Mycoplasma hominis* and, in the urines of a non-venereal disease population, 353